

INDEX TO VOLUME 62

Author Index

- AKELEY, R.V., *see* Reeves, A.F.
- ALEXANDER, F. and R. PRANGE. The response of two varieties of potato to polyethylene glycol induced water stress, 419, (abstr).
- ALEXANDER, L., *see* Prange, R.
- ALI, A., *see* Souza Machado, V.
- ALLABY, E.S., *see* Tai, G.C.C.
- ANDERSON, T.E., *see* Campbell, R.K.
- ANDREW, W.T., *see* Silva, G.H.
- APPLE, J.D. and W.S. OVERTON. A potato plant growth model for management decision analysis, 420, (abstr).
- ARNDT, G.C. and S.J. PELOQUIN. Hybrids among open pollinated progeny from large and small seeds of individual fruits, 420, (abstr).
- ARSLAN, A., P.M. BESSEY, K. MATSUDA and N.F. OEBKER. Physiological effects of psyllid (*Paratrioza cockerelli*) on potato, 9.
- BALAMANI, V. and B.W. POOVAIAH. Retardation of shoot growth and promotion of tuber growth of potato plants by paclobutrazol, 363.
- BAMBERG, J.B. and R.E. HANNEMAN, Jr. Possible role of gibberellic acid mediated gametophytic selection in tuberosum-andigena reciprocal family differences, 421, (abstr).
- BEAVER, G. and M. DeVOY. Rapid test for identifying blackspot bruise of potatoes, 422, (abstr).
- BEAVER, G., *see* Hafez, S.L.
- BENOIT, G.R. and W.J. GRANT. Excess and deficient water stress effects on 30 years of Aroostook County potato yields, 49.
- BERGERON, D., *see* Bushway, A.A.
- BERGSMAN, B., L. SVOBODA and R. COFFIN. Influence of temperature regimes and continuous photoperiod on growth of potatoes (*Solanum tuberosum*) under arctic conditions at Ellesmere Island (79° N), 421, (abstr).
- BERNARD, W. The effect of unit operations of potato processing on the reduction of nitrate concentration of processed products, 422, (abstr).
- BESSEY, P.M., *see* Arslan, A.
- BHATIA, S.K. and R.J. YOUNG. Reaction of potato tuber slices to *Phytophthora infestans* in relation to physiological age, 471.
- BISSENETTE, H.L., *see* Teng, P.S.
- BOITEAU, G. and R.H. PARRY. Monitoring of inflights of green peach aphids, *Myzus persicae* (Sulzer), in New Brunswick potato fields by yellow pans from 1974 to 1983: results and degree-day simulation, 489.
- BRODIE, B.B., *see* Plaisted, R.L., Thurston, H.D.
- BROWN, C.R., *see* Hooker, W.J.
- BUREAU, J.L., *see* Bushway, A.A.
- BUSHWAY, A.A., R.J. BUSHWAY and C.H. KIM. Isolation, partial purification and characterization of a potato glycoalkaloid glycosidase, 423, (abstr).
- BUSHWAY, A.A., J.L. BUREAU, D. BERGERON, M.R. STICKNEY and R.J. BUSHWAY. The nutrient and glycoalkaloid content of a new potato meal, 301.
- BUSHWAY, R.J., *see* Bushway, A.A.
- CABELLO, R.C., *see* Wiersema, S.G.
- CALIGARI, P., *see* Nachmias, A.
- CALISKAN, C.F., *see* Yildirim, M.B.

INDEX TO VOLUME 62

Author Index

- AKELEY, R.V., *see* Reeves, A.F.
- ALEXANDER, F. and R. PRANGE. The response of two varieties of potato to polyethylene glycol induced water stress, 419, (abstr).
- ALEXANDER, L., *see* Prange, R.
- ALI, A., *see* Souza Machado, V.
- ALLABY, E.S., *see* Tai, G.C.C.
- ANDERSON, T.E., *see* Campbell, R.K.
- ANDREW, W.T., *see* Silva, G.H.
- APPLE, J.D. and W.S. OVERTON. A potato plant growth model for management decision analysis, 420, (abstr).
- ARNDT, G.C. and S.J. PELOQUIN. Hybrids among open pollinated progeny from large and small seeds of individual fruits, 420, (abstr).
- ARSLAN, A., P.M. BESSEY, K. MATSUDA and N.F. OEBKER. Physiological effects of psyllid (*Paratrioza cockerelli*) on potato, 9.
- BALAMANI, V. and B.W. POOVAIAH. Retardation of shoot growth and promotion of tuber growth of potato plants by paclobutrazol, 363.
- BAMBERG, J.B. and R.E. HANNEMAN, Jr. Possible role of gibberellic acid mediated gametophytic selection in tuberosum-andigena reciprocal family differences, 421, (abstr).
- BEAVER, G. and M. DeVOY. Rapid test for identifying blackspot bruise of potatoes, 422, (abstr).
- BEAVER, G., *see* Hafez, S.L.
- BENOIT, G.R. and W.J. GRANT. Excess and deficient water stress effects on 30 years of Aroostook County potato yields, 49.
- BERGERON, D., *see* Bushway, A.A.
- BERGSMAN, B., L. SVOBODA and R. COFFIN. Influence of temperature regimes and continuous photoperiod on growth of potatoes (*Solanum tuberosum*) under arctic conditions at Ellesmere Island (79° N), 421, (abstr).
- BERNARD, W. The effect of unit operations of potato processing on the reduction of nitrate concentration of processed products, 422, (abstr).
- BESSEY, P.M., *see* Arslan, A.
- BHATIA, S.K. and R.J. YOUNG. Reaction of potato tuber slices to *Phytophthora infestans* in relation to physiological age, 471.
- BISSENETTE, H.L., *see* Teng, P.S.
- BOITEAU, G. and R.H. PARRY. Monitoring of inflights of green peach aphids, *Myzus persicae* (Sulzer), in New Brunswick potato fields by yellow pans from 1974 to 1983: results and degree-day simulation, 489.
- BRODIE, B.B., *see* Plaisted, R.L., Thurston, H.D.
- BROWN, C.R., *see* Hooker, W.J.
- BUREAU, J.L., *see* Bushway, A.A.
- BUSHWAY, A.A., R.J. BUSHWAY and C.H. KIM. Isolation, partial purification and characterization of a potato glycoalkaloid glycosidase, 423, (abstr).
- BUSHWAY, A.A., J.L. BUREAU, D. BERGERON, M.R. STICKNEY and R.J. BUSHWAY. The nutrient and glycoalkaloid content of a new potato meal, 301.
- BUSHWAY, R.J., *see* Bushway, A.A.
- CABELLO, R.C., *see* Wiersema, S.G.
- CALIGARI, P., *see* Nachmias, A.
- CALISKAN, C.F., *see* Yildirim, M.B.

- CALLIHAN, R.H. Weak plant syndrome: a problem deserving priority attention, 423, (abstr).
- CAMPBELL, R.K., T.E. ANDERSON, M. SEMEL and D.W. ROBERTS. Management of the Colorado potato beetle using the entomogenous fungus *Beauveria bassiana*, 29.
- CHANDRA, S., see Mondy, N.I.
- CHASE, R.W., see Zaag, R. Vander
- CLARK, B.J. and G.S. LEE. The effect of modification of canopy growth on potato tuber size, shape and specific gravity distribution of Russet Burbank potato, 424, (abstr).
- COFFIN, R., see Bergsma, B., Souza Machado, V.
- COFFIN, R.H., see Yada, R.Y.
- CONLON, R.L., R.E. THORNTON and G.L. LEE. The effect of seed piece origin on growth development and yield of Russet Burbank potatoes, 424, (abstr).
- CORSINI, D.L., see Halderson, J.L., Pavek, J., Thompson, C., Stark, J.C.
- CRAIG, Jr., J.C., see Kozempel, M.F.
- CUNNINGHAM, C.E., see Reeves, A.F.
- DAMAGANTE, A., see Zaag, P. Vander
- DAVIS, J.R. Approaches to control of potato early dying caused by *Verticillium dahliae*, 177.
- DAVIS, J.R. and L.H. SORENSEN. The epidemiology of *Verticillium tricorpus* and relationship to verticillium wilt of potato, 425.
- DAVIS, J.R. and L.H. SORENSEN. The assay, distribution and significance of *Verticillium* spp. in Idaho potato seed, 425, (abstr).
- DeVOY, M., see Beaver, G.
- DOUCHES, D.S. and C.F. QUIROS. Estimation of gene-centromere distances isozyme markers through 4x-2x matings in tuber-bearing solanums, 426, (abstr).
- DUNNETT, J., see Honess, B.L.
- DWELLE, R.B., see Stark, J.C.
- EASTON, G.D., see Nagle, M.E.
- EASTON, G.D. and M.E. NAGLE. Selection of giant hill mutants resistant to verticillium wilt in Russet Burbank, 426, (abstr).
- EVANS, W., see Mondy, N.I.
- EWING, E.E., see Khedher, M.B., McGrady, J.
- EZETA, F. International assistance in the development of the Peruvian national potato program, 427, (abstr).
- FITTS, M., see Yada, R.Y.
- FONG, W.G., see Weingartner, D.P.
- GALLENBERG, D.J. and E.D. JONES. Detection of potato viruses X and S in tissue culture plantlets, 111.
- GOLMIRZAIE, A.M. and H.A. MENDOZA. Identification of parental lines for development of true potato seed (TPS) population, 427, (abstr).
- GOMEX, J., see Tarn, T.R.
- GRANT, W.J., see Benoit, G.R.
- GROSKOPP, M.D., see Weis, G.G.
- GUDMESTAD, N.C., see Wambugu, F.M.
- HADERLIE, L.C., see Halderson, J.L.
- HAFEZ, S.L. and G. BEAVER. Control of plant parasitic nematodes on potatoes in Idaho, 428, (abstr).
- HALDERSON, J.L., D.L. CORSINI and L.C. HADERLIE. Potato vine kill: stem-end discoloration effects on Russet Burbank, 273.
- HALDERSON, J.L., L.C. HADERLIE and D.L. CORSINI. Potato vine kill: pulling, chemical killing and rolling effects on yield and quality of Russet Burbank, 281.
- HALIBURTON, T., see Sathiamoorthy, K.
- HALSETH, D., see Plaisted, R.L., Thurston, H.D.

- HAMMERSCHMIDT, R., *see* Zaag, R. Vander
- HANNEMAN, Jr., R.E., *see* Bamberg, J.B.
- HANNEMAN, Jr., R.E. Self fertility in *Solanum chacoense*, 428, (abstr).
- HANNEMAN, Jr., R.E. Assignment of endosperm balance numbers (EBN) to the tuber bearing solanum species, 429, (abstr).
- HANSEN, Sv.E. The Danish potato meristem program, 593, (abstr).
- HENFLING, J., *see* Torres, H.
- HERMUNSTADT, S.A. and S.J. PELOQUIN. Male fertility and 2n pollen production in haploid-wild species hybrids, 429, (abstr).
- HERMUNSTADT, S.A. and S.J. PELOQUIN. Tuber yield and tuber characteristics of haploid-wild species hybrids, 430, (abstr).
- HERMUNSTADT, S.A. and S.J. PELOQUIN. Male fertility and 2n pollen production in haploid-wild species hybrids, 479.
- HJERTING, J.P., *see* Tarn, T.R.
- HOLM, D.G. Clonal selection in the Sangre cultivar, 430, (abstr).
- HOLSTAD, N.M., *see* Lee, G.S.
- HONESS, B.L. and J. DUNNETT. Conflicting approaches to potato breeding and lessons from the past, 431, (abstr).
- HOOKER, W.J., L.F. SALAZAR and C.R. BROWN. Field infection of potato by the solanum apical leaf curling virus (SALCV), 263.
- HOSAKA, K. and K. TSUNEWAKI. Origin of cultivated potatoes based on the similarity of the chloroplast genome, 592, (abstr).
- HOUSEWORTH, L.D., *see* Morton, H.V.
- HUAMAN, Z. and R.W. ROSS. Updated listing of potato species names, abbreviations and taxonomic status, 629.
- HUNG, Y.T. Bio-augmentation of activated sludge process with LIMO (liquid live micro-organisms) for potato wastewater treatment, 431, (abstr).
- HURLEY, P.J., *see* Stark, J.C.
- HYDE, G., *see* Thornton, R.E.
- HYDE, G.H. Potato harvester draft requirements for fixed and rotary disk blades, 432, (abstr).
- IRITANI, W.M., *see* Knowles, N.R.
- JONES, E.D., *see* Gallenberg, D.J., Plaisted, R.L., Thurston, H.D.
- KADIAN, M.S., *see* Upadhy, M.D.
- KAISAKI, F., *see* Muneta, P.
- KHEDHER, M.R. and E.E. EWING. Growth analyses of eleven potato cultivars grown in the greenhouse under long photoperiods with and without heat stress, 537.
- KIDANE-MARIAM, H.M., H.A. MENDOZA and R.O. WISSAR. Performance of true potato seed families derived from intermating tetraploid parental lines, 643.
- KIM, C.H., *see* Bushway, A.A.
- KLEINKOPF, G.E. and D.T. WESTERMANN. Nitrogen requirements of potatoes, 432, (abstr).
- KLEINKOPF, G.E., *see* Westermann, D.T., Wille, M.S.
- KLEINSCHMIDT, G.D., *see* Wille, M.S.
- KNOPER, J.A., *see* Sowokinos, J.R.
- KNOWLES, N.R., W.M. IRTANI and L.D. WELLER. Plant growth response from aged potato seed-tubers as affected by meristem selection and NAA, 289.
- KNUTSON, K.W., *see* Thornton, M.K.
- KOZEMPEL, M.F., J.F. SULLIVAN and J.C. CRAIG, Jr. Modelling and simulating commercial hot water blanching of potatoes, 69.
- KRATZKE, M.G. and J.P. PALTA. Evidence for the existence of functional roots on potato tubers and stolons: significance in water transport to the tuber, 227.

- KRIKUN, J., *see* Nachmias, A., Tsrur, L.
- KWIATKOWSKI, S., M.W. MARTIN and P.E. THOMAS. The Pacific Northwest potato clonal repository, 423, (abstr).
- LADD, T.L., *see* Sanford, L.L.
- LANDEO, J.A. Adaptation of highland tropic potatoes to long daylength by using a single leaf-node cutting to screen for critical photoperiod, 433, (abstr).
- LAUER, F. and D. STEVENS. Seed piece size-spacing effects on hollow heart incidence and yield in Russet Burbank, 434, (abstr).
- LEACH, S.S. Contamination of soil and transmission of seedborne potato dry rot fungi (*Fusarium* spp.) to progeny tubers, 129.
- LEACH, S.S. and C.W. MURDOCH. Evaluation of thiabendazole and pentachloronitrobenzene for control of the rhizoctonia disease complex on white potato (*Solanum tuberosum* L.), 459.
- LEE, G.L., *see* Conlon, R.L.
- LEE, G.S., *see* Clark, B.J.
- LEE, G.S. and N.M. HOLSTAD. Detrimental effects of sodic soils on Russet Burbank growth and development, 404, (abstr).
- LESZLOWIAT, M.J., *see* Yada, R.Y.
- LEUSCHER, R., *see* Thompson, N.
- LIVESCU, L., *see* Nachmias, A.
- LORIA, R., *see* Plaisted, R.L., Thurston, H.D.
- LOZOYA-SALDANA, H. and A. MADRIGAL-VARGAS. Kinetin, thermotherapy, and tissue culture to eliminate potato virus (PVX) in potato, 339.
- LULAI, E.C. and J.R. SOWOKINOS. Lipolytic acyl hydrolase and lipoxigenase activity profiles in potato callus, 434, (abstr).
- LUND, R.E. and M.K.C. SUN. Sample size determination for seed potato certification, 347.
- MacKAY, G., *see* Nachmias, A.
- MADRIGAL-VARGAS, A., *see* Lozoya-Saldana, H.
- MANRIQUE, L.A. Performance of potato (*Solanum tuberosum* L.) in three tropical soil families as influenced by their temperature regimes, 101.
- MANZER, F.E., *see* Reeves, A.F., Storch, R.H.
- MAPPLEBECK, L., *see* Sathiamoorthy, K.
- MARTIN, C. Verticillium wilt of potato in central Peru, 195.
- MARTIN, C., *see* Torres, H.
- MARTIN, M.W. Effectiveness of selecting for high solids in tubers from field-grown seedlings, 435, (abstr).
- MARTIN, M.W., *see* Kwiatkowski, S., Miller, D.E.
- MATSUDA, K., *see* Arslan, A.
- McGRADY, J. and E. EWING. Use of leaf-bud cuttings to study senescence in potato (*Solanum tuberosum* L.), 435, (abstr).
- McMILLAN, L.P., *see* Tai, G.C.C.
- MENDOZA, H.A., *see* Golmirzaie, A.M., Kidane-Mariam, H.M.
- MICKELSON, O., *see* Thompson, N.
- MILLER, D.E. and M.W. MARTIN. Effect of water stress during tuber formation on subsequent growth and internal defects in Russet Burbank potatoes, 83.
- MISENER, G.C., *see* Tai, G.C.C.
- MONDY, N.I., S. CHANDRA and W. EVANS. Enzymatic discoloration and phenolic content of potato tubers from cultivars resistant and susceptible to golden nematode, 207.
- MORTON, H.V. and L.D. HOUSEWORTH. Control of potato tuber blight with metalaxyl (Ridomil), 436, (abstr).
- MOYER, D.D., *see* Plaisted, R.L.
- MUNETA P. and F. KAISAKI. Ascorbic acid-ferrous iron (Fe^{++}) and after cooking darkening, 436, (abstr).

- MUNETI, P. and F. KAISAKI. Ascorbic acid-ferrous iron (Fe^{++}) complexes and after cooking darkening of potatoes, 531.
- MURDOCH, C.M., see Leach, S.S.
- MURPHY, H.J., see Reeves, A.F.
- NACHMIAS, A., see Tsrur, L.
- NACHMIAS, A. and J. KRIKUN. Verticillium wilt of potato in Israel, 201.
- NACHMIAS, A., L. LIVESCU, G. MacKAY and P. CALIGARI. Screening for *Verticillium dahliae* and *Alternaria solani* resistance in potato breeding lines, 436, (abstr).
- NAGLE, M.E., see Easton, G.D.
- NAGLE, M.E. and G.D. EASTON. New combination fungicides in the control of *Phytophthora infestans* on potato in Northwest Washington, 437, (abstr).
- NELSON, G.A. Survival of *Corynebacterium sepedonicum* in potato stems and on surfaces held at freezing and above-freezing temperatures, 23.
- NICKESON, R.L., see Reeves, A.F.
- NISSLEY, F., see Pavek, J.
- OEBKER, N.F., see Arslan, A.
- O'HAIR, S.K., Potato growth in the subtropics of Florida, 391.
- ORR, P.H., see Sowokinos, J.R.
- VERTON, W.S., see Apple, J.D.
- PALTA, J.P., see Kratzke, M.G.
- PARRY, R.H., see Boiteau, G.
- PAVEK, J.J., see Thompson, C.
- PAVEK, J., D. CORSINI and F. NISSLEY. A rapid method for determining blackspot susceptibility of potato clones, 511.
- PELOQUIN, S.J., see Arndt, G.C., Hermundstad, S.A., Stelley, D.M.
- PETERSON, M.D., see Slack, S.A.
- PLAISTED, R.L., see Thurston, H.D.
- PLAISTED, R.L. and H.D. THURSTON. International exchange in potato breeding, a "Double Via" street, 437, (abstr).
- PLAISTED, R.L., H.D. THURSTON, B.B. BRODIE, E.D. JONES, R. LORIA, D. HALSETH, J.B. SIECZKA and D.D. MOYER. Hampton: a main season, golden nematode resistant variety, 455.
- PLATT, H.W. Failure of metalaxyl to eradicate late blight on potatoes (cv. Green Mountain), 39.
- PLATT, H.W. Controlling potato late blight with systemic-protectant fungicide combinations of metalaxyl and mancozeb, 499.
- POOVAIAH, B.W., see Balamani, V.
- POWELSON, M.L. Potato early dying disease in the Pacific Northwest caused by *Erwinia carotovora* pv. *carotovora* and *E. carotovora* pv. *atroseptica*, 173.
- PRANGE, R., see Alexander, K., Sathiamoorthy, K.
- PRANGE, R. and L. ALEXANDER. Estimation of stress thresholds in plants, 438, (abstr).
- PRESTON, D.A., see Varns, J.L.
- PSCHIEDT, J.W., see Stevenson, W.R.
- QUIROS, C.F., see Douches, D.S.
- REEVES, A.F., R.V. AKELEY, C.E. CUNNINGHAM, H.J. MURPHY, R.H. TRUE and F.E. MANZER. Sunrise: an early maturing, golden nematode resistant, round, white potato variety, 221.
- REEVES, A.F., C.E. CUNNINGHAM, R.L. NICKESON, R.V. AKELEY, H.J. MURPHY, F.E. MANZER and R.H. TRUE. Campbell 14: a verticillium resistant round white potato variety, 215.
- RIEDEL, R.M. and R.C. ROWE. Lesion nematode involvement in potato early dying disease, 163.

- RIVERA PENA, A., *see* Tarn, T.R.
ROBERTS, D.W., *see* Campbell, R.K.
ROSS, R.W., *see* Huaman, Z., Tarn, T.R.
ROURKE, R.V. Soil solution levels of nitrate nitrogen in a potato-buckwheat rotation, 1.
ROUSE, D.J. Some approaches to prediction of potato early dying disease severity, 187.
ROWE, R.C., *see* Riedel, R.M.
ROWE, R.C. Potato early dying—a serious threat to the potato industry, 157.
SALAZAR, L.F., *see* Hooker, W.J.
SANDERSON, P., *see* Stevenson, W.R.
SANFORD, L.L. and T.L. LADD. Tolerance to potato leafhopper in *Solanum tuberosum* L. gp. tuberosum clones, 438, (abstr).
SATHIAMOORTHY, K., R. PRANGE, L. MAPPLEBECK and T. HALIBURTON. Potato production in Sri Lanka, 555.
SCHAPER, L.A., *see* Varns, J.L.
SCHOENEMANN, J.A., *see* Weis, G.G.
SECOR, G.A., *see* Wambugu, F.M.
SEMEL, M., *see* Campbell, R.K.
SIECZKA, J.B., *see* Plaisted, R.L.
SILVA, G.H. and W.T. ANDREW. Hill to hill variations in tuber yield of potatoes in Alberta, 119.
SINDEN, S.L. Variation in plants regenerated from mesophyll protoplasts of potato, 439, (abstr).
SLACK, S.A. and M.D. PETERSON. The tissue culture propagation and virus testing program for the interregional potato introduction project, 439, (abstr).
SORENSEN, L.H., *see* Davis, J.R.
SOUZA MACHADO, V., A. ALI and R. COFFIN. Potato regeneration: a research theme for plant propagation students at Guelph, 440, (abstr).
SOWOKINOS, J.R., *see* Lulai, E.C., Varns, J.L.
SOWOKINOS, J.R., P.H. ORR and J.A. KNOPER. Influence on aging and handling stress on sugars, chip quality and integrity of the starch (amyloplast) membrane, 440, (abstr).
STANLEY, D.W., *see* Yada, R.Y.
STARK, J.C., D.L. CORSINI, P.J. HURLEY and R.B. DWELLE. Biochemical characteristics of potato clones differing in blackspot susceptibility, 657.
STARK, J.C. and J.L. WRIGHT. Relationship between foliage temperature and water stress in potatoes, 57.
STARK, J.C. and J.L. WRIGHT. Evaluation of infrared thermometry as a means of detecting water stress in potatoes, 441, (abstr).
STELLEY, P.M. and S.J. PELOQUIN. Screening for 2n female gametophytes, female fertility, and 2x x 4x crossability in potatoes (*Solanum* spp.), 519.
STEVENS, D., *see* Lauer, F.
STEVENSON, W.R. and J.W. PSCHIEDT. PDM—A computer based program for the management of potato early and late blights, 441, (abstr).
STEVENSON, W.R., J. STEWART and P. SANDERSON. Reaction of Monona potatoes to thiabendazole seedpiece treatment in Wisconsin, 442, (abstr).
STEWART, J., *see* Stevenson, W.R.
STICKNEY, M.R., *see* Bushway, A.A.
STORCH, R.H. and F.E. MANZER. Effect of time and date of inoculation, plant age, and temperature on translocation of potato leafroll virus into potato tubers, 137.
SULLIVAN, J.F., *see* Kozempel, M.F.
SUN, M.K.C., *see* Lund, R.E.
SVOBODA, L., *see* Bergsma, B.
TAI, G.C.C., *see* Young, D.A.

- TAI, G.C.C., G.C. MISENER, E.S. ALLABY and L.P. McMILLAN. GRAV-O-TATER: a computer apparatus for measuring specific gravity, 403.
- TARN, T.R., A. RIVERA PENA, J.P. HJERTING, R.W. ROSS and J. GOMEX. Potato collecting in Mexico, 1982 to 1984, 442, (abstr).
- TENG, P.S. and H.L. BISSENETTE. Estimating potato yield responses from chemical control of early blight in Minnesota, 595.
- TENG, P.S. and H.L. BISSENETTE. Developing equations to estimate potato yield loss caused by early blight in Minnesota, 607.
- TENG, P.S. and H.L. BISSENETTE. Potato yield losses due to early blight in Minnesota fields, 1981 and 1982, 619.
- THAKUR, K.C., *see* Upadhyaya, M.D.
- THOMAS, P.E., *see* Kwiatkowski, G.
- THOMPSON, C., D.L. CORSINI and J.J. PAVEK. The effects of plant growth regulators on verticillium wilt of potato, 443, (abstr).
- THOMPSON, N, R. LEUSCHER, W. VAN HUSS and O. MICKELSON. The potato as a source of protein for man, 443, (abstr).
- THORNTON, M.K. and K.W. KNUTSON. The effect of transplant container volume and growing season length on field performance of micropropagated potato plantlets, 444, (abstr).
- THORNTON, R.E., *see* Conlon, R.L.
- THORNTON, R.E. and G. HYDE. Recent improvement in potato harvester operation and management, 444, (abstr).
- THURSTON, H.D., R.L. PLAISTED, B.B. BRODIE, E.D. JONES, R. LORIA, D. HALSETH and J.B. SIECZKA. Elba: A late maturing, blight resistant potato variety, 653.
- THURSTON, H.D., *see* Plaisted, R.L.
- TIMM, G.H., *see* Timm, H.
- TIMM, H. and G.H. TIMM. Ethylene production response of unsprouted and sprouted seed potato pieces to temperature elevation, 444, (abstr).
- TORRES, H., C. MARTIN and J. HENFLING. Chemical control of pink rot of potato (*Phytophthora erythroseptica* PethyB.), 355.
- TRUE, R.H., *see* Reeves, A.F.
- TSROR (LAHKIM), L. and A. NACHMIAS. Monitoring fungal and bacterial diseases in seed potato tuber stocks, 445, (abstr).
- TSROR (LAHKIM) L., A. NACHMIAS and J. KRIKUN. Improvement of potato profitability through field mapping of *Verticillium dahliae* inoculum potential in the soil, 445, (abstr).
- TSUNEWAKI, K., *see* Hosaka, K.
- UPADHYA, M.D., K.C. THAKUR and M.S. KADIAN. Influence of genotype and environment on true potato seed (TPS) quality parameters, 446, (abstr).
- VAN HUSS, W., *see* Thompson, N.
- VAN UYEN, N. and P. VANDER ZAAG. Potato production using tissue culture in Vietnam: the status after four years, 237.
- VARNIS, J.L., L.A. SCHAPER and D.A. PRESTON. Potato losses during the first three months of storage for processing, 91.
- VARNIS, J.L., J.R. SOWOKINOS and E.C. YAEGER. Heterogeneity in the bulk storage of potatoes; changes in respiration, sugar content, and chipping at different pile levels, 446, (abstr).
- VILLARREAL, M.J.G. PRECODEPA, a model for regional potato development, 447, (abstr).
- VILLARREAL, M.J.G. Seed potato production for small farmers in Mexico, 447, (abstr).

- WAMBUGU, F.M., G.A. SECOR and N.C. GUDMESTAD. Eradication of potato virus Y and S from potato by chemotherapy of cultured axillary bud tips, 667.
- WEINGARTNER, D.P., W.G. FONG and W.B. WHEELER. Aldicarb residues in drainage runoff water from northeastern Florida potato fields during 1983 and 1984, 448, (abstr).
- WEIS, G.G., J.A. SCHOENEMANN and M.D. GROSCHOPP. Influence of reduced and split rates of maleic hydrazide on Russet Burbank potatoes, 449, (abstr).
- WELLER, L.D., *see* Knowles, N.R.
- WESTERMANN, D.T., *see* Kleinkopf, G.E., Wille, M.S.
- WESTERMANN, D.T. and G.E. KLEINKOPF. Phosphorus fertilization of potatoes—a review, 449, (abstr).
- WHEELER, W.B., *see* Weingartner, D.P.
- WIERSEMA, S.G. and R.C. CABELLO. Production of seed tubers derived from true potato seed, 449, (abstr).
- WILLE, M.S., G.E. KLEINKOPF, D.T. WESTERMANN and G.D. KLEINSCHMIDT. Specific gravity of Russet Burbank potatoes. Peeled versus non-peeled measurements, 450, (abstr).
- WISSAR, R.O., *see* Kidane-Mariam, H.M.
- WRIGHT, J.L., *see* Stark, J.C.
- YADA, R.Y., R.H. COFFIN, D.W. STANLEY, M.J. LESZLOWIAT and M. FITTS. Effect of sucrose, glucose and fructose content of Ontario grown potato tubers on chip color, 450, (abstr).
- YAEGER, E.C., *see* Varns, J.L.
- YILDIRIM, M.B. and C.F. ÇALIŞKAN. Genotype X environment interactions in potato (*Solanum tuberosum* L.), 371.
- YOUNG, D.A. Cooperative research in the Americas—a Canadian perspective, 451, (abstr).
- YOUNG, D.A. and G.C.C. TAI. Development of performance models for potato genotypes tested in international trials, 451, (abstr).
- YOUNG, R.J., *see* Bhatia, S.K.
- ZAAG, P. VANDER, *see* Van Uyen, N.
- ZAAG, P. VANDER and A. DAMAGANTE. The response of 4 potato (*Solanum* spp.) cultivars to photoperiod and light intensity, 451, (abstr).
- ZAAG, R. VANDER, R.W. CHASE and R. HAMMERSCHMIDT. The effect of hypochlorite wash treatments on potato tuberization, 409.

Subject Index

- | | |
|--|---|
| Absciscic acid, 672 | Apical dominance, 289, 299 |
| Absorption spectra, 535 | Ascorbic acid, 531 |
| ACD, 532-3, 535 | Ascorbic acid-iron complex, 531 |
| Activated sludge, 431 | Bacteria |
| Acylalane fungicides, 499 | <i>Corynebacterium sepedonicum</i> 23-4, 27 |
| Aerial tubers, 10 | <i>Erwinia</i> , 198 |
| After cooking blackening, 531-2 | <i>Erwinia</i> sp, 564 |
| After cooking darkening, 531-2 | <i>carotovora</i> , 157, 160, 174, 188, 190 |
| Analytical Methods | <i>atroseptica</i> , 173-6 |
| ELISA, 111, 113-6, 264, 267, 271, 275, | <i>carotovora</i> , 173-6 |
| 339-40, 342-4 | <i>chrysanthemi</i> , 475 |
| LAT, 111, 112, 114, 116 | <i>Pseudomonas</i> |
| Aphid catches, 492 | <i>solanacearum</i> , 563 |
| Aphid dispersal, 489 | Blackheart, 564 |
| Aphids, 564 | Blackspot, 208, 511, 514-6, 658 |

- Blancher, 70
Brown center, 87
Bruise, 657
Burlap, 27
Burning vines, 179
Carbohydrate, 9, 11
Causes of storage losses, 96
Central cell nuclei, 525
Certification procedures, 376
Chemotherapy, 668
Chip color, 217, 223-4, 450
Chipping quality, 447
C=horizon, 4, 6
Chlorogenic acid, 663
Chlorophyll, 366
Coefficient of determination, 119
Copper, 596
Crop rotation, 177, 179
Crop yield, 1, 3
Cultivar response, 537
Cut seed, 409
Cuttings, 237, 239
Degree day, 480, 495
Discoloration, 207, 209
Disease control, 39
Disease prediction, 187
Disease survey, 619
Dry matter accumulation, 391, 395
Dry weight, 295, 297
Dye uptake, 227, 230
Elemental analysis of potato meal, 304
ELISA, 668-9
Enzymatic discoloration, 657, 661, 663
Evapotranspiration, 49
Female fertility, 519
Flails, 281
Flavor, 207
Foliage temperature, 57, 59-62, 64-5
4x-2x breeding, 644
4x-4x breeding, 644
Fruit set, 522
Fumigants: see pesticides
Fumigation, 177, 202
Fungi
 Alternaria
 solani, 220, 436, 500, 595-6, 607-8
 Beauveria
 bassiana, 29, 30
 bassiana, strain RS252, 30
 Colletotrichum
 atramentarium, 174, 180
 coccodes, 174, 188
 Fusarium, 174, 188, 225, 414, 416
 oxysporum, 196
 roseum, 220
 "*Sambucinum*", 129-32, 134-5, 225, 409, 411-2, 475
 solani, 203, 220
 "*Coeruleum*", 129-33, 135, 225
 Phytophthora
 erythroseptica, 335, 357-60
 infestans, 39, 44, 211, 237, 239, 436-7, 471-4, 476, 499, 505, 508, 563, 653
 Rhizoctonia, 174, 225
 solani, 134, 188, 436, 445, 459-64
 Verticillium, 157, 160, 178, 199, 203-4, 653, 655
 albo-atrum, 157, 159, 167, 174, 178, 195-6, 211
 dahliae, 157, 159, 163-9, 173-83, 190-1, 195, 197-9, 425-6, 436, 443
 nigrescens, 203
 nubilum, 203
 tricornis, 203, 425
 Spongospora subterranea, 445
Fungicides: see pesticides
Glycoalkaloid, 220, 301-3, 305, 457, 655
 α -chaconine, 301, 305
 γ -chaconine, 423
 α -solanine, 301, 305
Gibberellic acid, 363-6
Gradient irrigation, 83, 86-7
Gram stain, 25
Grav-o-tater, 403
Greening, 220, 223
Groundwater contamination, 1
Growth, 9
Growth analyses, 537
Hand pulling, 273
Haploids, 479
Heat tolerance, 537
Heat stress, 537
Heritability estimates, 373-4
Heritability values, 371, 373
Herbicides: see pesticides
High solids, 435
History, 555
Hollow heart, 655
Hot water blanching, 69, 81
Hybrid, 643
Hypochlorite, 409, 417
Inceptisols, 101
Infected potato stems, 23, 26
Infrared thermometry, 57-8

- Inoculum density, 177, 179, 187, 189
- Insects
- Colorado Potato Beetle, 29, 33, 132, 220, 225
 - Cutworms, 564
 - Empoasca fabae*, 438
 - Green peach aphid, 493
 - Myzus persicae*, 137-8, 142, 489-90, 494
 - Paratriosia cockerelli*, 9
 - Potato tuber moth, 564
 - Root-eating ants, 564
- Insecticides: see pesticides
- Internal defects, 83, 457
- Internal necrosis, 655
- IPM, 29
- Irrigation, 57
- Kinetin, 339, 342-3
- Land assessment, 101
- Late season transmission, 137
- Leaching, 69
- Leaf area, 11, 15
- Leafroll transmission, 140-2
- Leaf water potential, 57-9, 61, 66-7
- Line source, 83
- Mainstems, 123
- Male fertility, 479, 481
- Maleic hydrazide, 449
- Marketing in Sri Lanka, 560
- Milestone cutter, 119, 121
- Missshapen tubers, 9
- Mites, 564
- Tetranychus urticae*, 35
- Mechanical vine killing, 274
- Multipathogen interactions, 157, 163, 173
- NAA, 289, 292-4, 297-9
- Nematodes
- Globodera*
 - pallida*, 438
 - rostochiensis*, 207, 221
 - Golden nematode, 207, 220, 225, 455, 653
 - Meloidogyne*
 - chitwoodi*, 428
 - hapla*, 188, 428
 - incognita*, 208
 - Pratylenchus*, 160, 188
 - alleni*, 164
 - crenatus*, 163, 165-70
 - neglectus*, 164, 167
 - penetrans*, 163-70, 174
 - scribneri*, 163, 165-70
 - thornei*, 201-2
 - vulnus*, 164
- Net necrosis, 220
- N availability, 180, 182
- N losses, 1
- N removal, 4
- N requirements, 432, 434
- NO₃-N, 1, 5, 6, 7
- Number of tubers, 544
- Nutrient content, 301
- Open pollination, 643-4, 647, 650
- Orange G, 227
- Oxisols, 101
- PAA
- Advance registration for 1985 Annual Meeting, 145
- Agricultural Computing Association formed, 100
- Announcement of 70th annual meeting, 673
- Asian potato conference, 676
- Book review: "Potatoes for the Developing World", 90
- Budget, 1985-86, 701
- Call for nominations for Honorary Life Members, 590, 673
- Call for papers for 1985 Annual Meeting, 47
- Call for papers for 1986 Annual Meeting, 591, 675
- Committees for 1985-86, 642
- Constitution and by laws of The PAA, 243
- Constitution change proposed, 207
- Financial audit, 704
- Graduate student awards, 590, 674
- Life members
- Jimmy S. Gregory, 565
 - Joseph L. Harrington, 568
 - Nelson Estrada Ramos, 570
 - John A. Schoenemann, 572
- Membership list for 1985, 575
- Minutes of the 68th Annual Meeting of The PAA, 307
- Minutes of the 69th Annual Meeting of The PAA, 677, 685, 690, 699
- Breeding and genetics, 713
- Extension, 715
- Pathology, 716
- Physiology, 717
- Seed Certification, 714
- Utilization, 719
- Obituaries
- James Munroe, 387
 - William G. Hoyman, 588
- Papers published in Volume 27 (1984) of *Potato Research*, 335

- Program for 69th Annual Meeting, 251
- Reports,
- Advertising manager, 709
 - Business editor, 706
 - Editorial office, 708
 - Finance committee, 705
 - Membership secretary, 709
 - Symposium review committee, 711
 - Treasurer, 701
- Statistical Yearbook, 388
- Paclobutrazol, 363-8
- Partitioning of dry matter, 537, 544
- Pesticides
- Aldicarb, 448
 - Captafol, 595-7, 602-3, 605, 622
 - Chlorothalonil, 437, 596, 621-3
 - Basamid, 355, 337, 359, 360-1
 - Chloropicrin, 181-2
 - Dichloropropene, 182
 - Dinoseb, 273, 276, 283, 285-6
 - Diquat, 276, 283-6
 - Di-trapex, 357-8
 - Endothal, 273, 276, 283, 285
 - Fenvalerate, 29-31, 33-5
 - Mancozeb, 41, 45, 437, 499, 502, 505
 - Maneb-zn, 595-7, 602-3, 605, 621-3
 - MEP 110, 357-8
 - MER 108, 357-8
 - MET 109, 357-8
 - Metalaxyl, 39, 40, 44, 355, 437, 499, 502, 505
 - Methomyl, 18
 - Methyl bromide, 357-60
 - PCNB, 357, 359-60, 459-68
 - Ridomil, 40, 355, 357, 359-61, 436-7
 - Sencor, 655
 - Sodium azide, 357, 359-60
 - Sulfuric acid, 273, 276, 281, 283, 285-6
 - Telone, 181
 - Telone C, 181
 - Temik, 181
 - Terr-o-cide D, 181
 - Thiabendazole, 131, 134-5, 356, 442, 459-68
 - Thiram, 596, 621, 623
 - Triphyltin, 595-6, 602-3, 605
 - Vapam, 181
 - Vorlex, 181
- Pest management, 489
- Phenols, 207-12, 657, 663-4
- Physiological age, 289-90, 471, 475
- Plant species
- Chrysanthemum morifolium*, 364
 - Datura*, 190
 - tatula*, 264-5, 267-8
 - Echinochloa crus-galli*, 461
 - Eggplant, 25
 - Fagopyrum esculentum*, 2
 - Gomphrena globosa*, 112
 - Impatiens balsamina*, 167
 - Lycopersicon esculentum*, 264
 - Manihot esculenta*, 343
 - Nicandra physalodes*, 270
 - Nicotiana glutinosa*, 267
 - Phaseolus vulgaris*, 364
 - Physalis peruvianum*, 270
 - Prunus nigra*, 494
- Plant stand, 120
- Plant water deficit, 49
- Plant water excess, 49
- Porous cup extractor, 2
- Population survey, 32
- Potassium, 69, 74, 76
- P fertilization, 449
- Polyphenoloxidase, 657-63, 665
- Potato acreage in Sri Lanka, 556
- Potato biomass, 33
- Potato-buckwheat rotation, 1
- Potato certification, 347
- Potato clones, 522, 526
- Potato early dying, 157, 163, 170, 173, 177, 187, 189, 195, 201
- Potato growth rate, 396
- Potato meal, 301, 303
- Potato production in Sri Lanka, 559
- Potato shoot growth, 363, 365
- Potato species abbreviations, 630
- Potato taxonomy, 629
- Potato cultivars
- New
 - Campbell 14, 215
 - Elba, 653-5
 - Hampton, 455-7
 - Sunrise, 221-6
 - Old
 - Alaska Red, 119-120, 122-6, 513-5
 - Alpha, 339-42
 - Anoka, 662, 624, 626
 - Antarqui, 356, 359
 - Antigo, 216
 - Ari, 371
 - Arka, 561
 - Atlantic, 209, 217, 224, 412, 415-6, 439, 626, 655
 - Atzimba, 237, 339-42, 471-4
 - Bake King, 113-4

- Belchip, 209, 439, 531, 542-3, 552
 BelRus, 70
 Bintje, 120, 123, 419, 422
 Bison, 662, 626
 Butte, 182-3
 Campbell 11, 209
 Campbell 13, 422
 Carlton, 119-120, 122-5
 Cascade, 222
 Centennial Russet, 444
 Cherokee, 222
 Chieftain, 622, 624, 626
 Chipbelle, 209
 Chippewa, 113, 115, 141, 486
 Cosima, 371, 452
 Cuzco, 356, 359
 Denali, 9, 11, 12-3, 15-8, 224, 513-5
 Desiree, 452, 539, 541, 547-9, 551-3,
 561, 667-70
 Earline, 216
 Grandifolia, 422
 Granola, 422
 Green Mountain, 39, 40, 113-4, 500
 Hudson, 209
 Imperia, 216
 Irish Cobbler, 622-3, 626
 Ishna, 561
 Isola, 371
 Jemseg, 422
 Katahdin, 2, 29-30, 113, 115, 137-8,
 140-2, 177, 182, 209, 218-20, 222-3,
 225-6, 439, 455-7, 471-4, 529, 531,
 542-4, 546, 552-3, 654-5
 Kennebec, 9-15, 17-8, 57, 59-61, 63,
 101, 103, 115, 209, 217-20, 223-6, 423,
 461, 471-4, 622-4, 626
 King Edward, 123, 127
 LaRouge, 113-4, 391, 393, 400
 Lasoda, 622-3, 626
 Lemhi Russet, 513-5, 660-2
 Lenape, 216, 222
 Magnum Bonum, 123, 127
 Mariva, 356, 359
 Menominee, 222
 Merrimack, 482, 486
 Mi Peru, 356, 359
 Monona, 623, 626
 New Superior, 209
 Nooksack, 513-5, 660-2
 Norchip, 119, 120, 126, 217, 224, 447,
 539, 541-6, 552-3, 622-3, 628, 667-70
 Norgold Russet, 9, 11-3, 15, 17-8, 174,
 623, 626
 Norland, 24, 26, 119, 121-6, 539, 541-4,
 546, 595, 597-9, 602-5, 607-8, 610,
 612-4, 617, 622-4, 626
 Pontiac, 622-4, 626
 Raritan, 419
 Redcote, 216
 Red Pontiac, 257, 452, 539, 541-4, 546
 Ranacimiento, 356-7
 Revolucion, 356, 359
 Resy, 371
 Rosa, 113-4, 209
 Rosita, 356, 359
 Russet Burbank, 23-4, 26, 57, 59, 63,
 70, 83, 85, 87, 112, 116, 119-26, 131,
 137-8, 140-2, 174-5, 179-84, 220, 228,
 273, 281-3, 285-6, 289-90, 292-3,
 363-4, 392, 412, 415-6, 421, 424, 426,
 434, 443-4, 449-50, 513-5, 539, 541-4,
 546, 552, 595, 597-9, 602-5, 607-8,
 610, 612, 614, 616-7, 622-3, 626,
 660-2
 Sangre, 430
 Saturna, 422
 Sebago, 113, 115, 471-4
 Serrana, 422
 Sita Krushi, 561, 563
 Snowchip, 224
 Spunta, 539, 541, 547-9, 551
 Superior, 113-4, 209, 217-9, 221, 223-6,
 422
 Targhee, 177, 182
 Teton, 216
 Ticahuasi, 264, 356, 359-60
 Tobique, 209
 Tomasa Condemayta, 356, 359
 Vekalo, 561
 Warba, 24, 26
 Wauseon, 221-3
 White Rose, 437, 486, 660-2
 Yukon Gold, 422
 Numbered seedlings
 57G16-78, 455
 58N 33-109, 653
 1376-6, 222
 2201(30), 222
 47156, 222
 A7938-1, 660, 662
 A66107-51, 183, 443
 A69870-10, 660-2
 A72260-16, 660-2
 A74133-1, 660-2
 B24-58, 216

B71-240.2, 237
 B595-76, 222
 B859-10, 216
 B922-3, 216
 B3391-2, 216
 B3672-3, 222
 B3820-14, 222
 B4159-8, 222
 B4537-9, 455
 B4808-19, 216
 B5141-6, 216, 222
 B6563-2, 221-2
 B6930-1, 438-9
 BR5960-9, 215
 BR7093-23, 216
 C-13, 114
 CF7358-14, 222
 CFK69.1, 237
 D29-10, 653
 DTO-28, 539, 541, 547-9, 551-2
 DTO-33, 452
 F72217, 422
 F1-774, 623, 626
 IWU-1, 653
 OND-5, 455
 OPB-3, 455
 L521-7, 653
 LT-1, 539, 541, 547-9, 551, 553
 LT-2, 539, 541, 547-9, 551-2
 MBJ-23, 653
 ND3021-IR, 216
 ND4556-6, 216
 ND5737-3, 215
 NY27, 653
 NY48, 455
 NY51, 455
 NY-59, 209, 653
 NY-63, 209
 NY-64, 209
 NY-65, 209
 NYO-5, 653
 PI214372, 222
 Q54-6, 209
 Q155-3, 209
 TXA763-5, 660-2
 W231, 482, 485-6
 W457, 486
 W557, 486
 W719, 486
 W721, 486
 W730, 486
 W745, 486

W973, 486
 W1887, 484, 486
 W1901, 486
 W2164, 483
 W2838, 484, 486
 W3463, 486
 W4106, 486
 W4193, 486
 W4260, 486
 W4837, 486
 X927-3, 222
 X1276-185, 216

Potato diseases

Acid scab, 220, 225, 468
 Aster yellows, 266
 Blackleg, 445, 564
 Bunchy top, 270
 Common scab, 220, 457
 Early blight, 132, 225, 441, 595, 603-4, 607-8, 619
 Late blight, 42, 132, 220, 225, 441, 471, 501
 Micoplasma diseases, 263
 Pink rot, 355, 361
 Purple top wilt, 264
 Ring rot, 220, 225
 Silver scurf, 468

Potato species

Solanum spp., 629
acaule, 482
andigena, 456, 431
basendopogon, 270
berthaultii, 429, 438, 439, 479, 481, 483
boliviense, 430, 479, 481, 483
bukasovii, 430, 479, 481, 483
canadense, 430, 479, 481, 483
chacoense, 222, 428-9, 439, 479, 481-3, 522
curtilobum, 482
demissum, 482
infundibuliforme, 430, 481, 483
kurtzianum, 429, 479, 481, 483
microdontum, 430, 479, 481-3
neo-tuberosum, 431
nigrum, 270
phureja, 522
raphanifolium, 430, 481, 483
sanctae-rosae, 436, 481, 483
spagazzinii, 430, 479, 481, 483
sparsipilum, 430, 438, 479, 483
tarijense, 430, 479, 481, 483
tuberosum, 24, 101, 103, 207, 215, 221,

- 227, 273, 282, 289, 356, 363-4, 371,
393, 421, 435, 438-9, 455, 459-60,
472, 475, 480, 481, 499, 519, 520, 537,
595-6, 630, 667
tuberosum andigena, 222, 438-9, 455,
475, 483, 654
vernei, 455
verrucosum, 482
Psyllid yellows, 9, 10
Rainfall, 5
Ribavirin, 667-9, 671-2
Ringrot bacteria, 23
Rotation N effects, 1
Safranin O, 227, 231
Sample size, 347, 349, 352
Seed certification, 201
Seed piece decay, 409
Seed piece size, 119, 294
Seed storage, 562
Serological detection, 201
Shoot number, 295, 297
Soil chemical analysis, 103
Soil temperature, 107
Soluble protein, 664-5
Species names and taxonomic status, 631-41
Specific gravity, 4, 83, 88, 218, 225, 281-2,
286-7, 403, 450, 457
Sprinkler irrigation, 83
Stain cleared ovules, 519, 522
Starch, 12, 17
Stem-end discoloration, 273, 275, 278, 281-2
Stolon roots, 227
Storage, 555
Storage losses, 91
Storage rot, 129
Suberin, 411, 413
Suberization, 409-11, 415
Sufficient fertilization, 1
Sugars, 367-8, 440, 446
fructose, 367
glucose, 69, 174, 367
maltose, 367
raffinose, 367, 386
Survival, 23-4, 26-7
Systemic fungicide, 39
Tetraploid, 643
Thermotherapy, 339
Tissue culture, 111, 237, 339
Tobacco streak, 267
TPS, 266, 427, 446, 449, 555, 563, 643-4
TPS families, 645-51
Translocation, 137
Transplants, 643, 646, 650
Tropical root crop, 101
TSS, 12, 20
Tuber discoloration, 660
Tuber dry matter, 109
Tuber roots, 227
Tuber rot, 43, 502, 506
Tuber weight, 122
Tuber yield, 4, 119, 289, 600-1
Tubers per hill, 124
2n pollen, 479, 481, 484-6
2x by 4x crosses, 519-21, 528
Tyrosine, 657, 663-4
Ultisols, 101
Uniformity, 643, 646
Vine cutting, 285-6, 287
Vine kill speed, 273
Vine pullers, 281
Vine rolling, 281, 283, 285, 287
Vitamin content, 304
Virus
PLRV, 263-5
PSTV, 539
M, 267
S, 111-16, 267, 667, 670, 674
SALCV, 263-8, 270-1
X, 111-13, 115-6, 188, 221, 225, 293,
339-40, 344
Y, 225, 264, 667-8, 670-1
Virus diseases
alfalfa mosaic, 267
andean potato latent, 267
andean potato mottle, 267
leafroll, 137-8, 142, 220, 275, 564
stolbur, 264
tobacco rattle, 267
Virus-free seed stocks, 667
Waring blender, 71
Water relations, 57, 83, 88
Water uptake, 228
Weight of tops, 392
Wild and cultivated potatoes, 629
Wild species, 479
Yellow pan, 489-91
Yield, 9, 18, 34-5, 43, 49, 50, 52-5, 83, 88,
106, 108, 132, 134-5, 159, 165, 168, 181-2,
189, 219, 223, 226, 281-2, 284-5, 358, 363,
397, 456, 468, 502, 505, 552, 555
Yield loss, 191-2, 595, 607-10, 612-6, 619,
621, 624-7, 646-8, 654, 669